



# DUALCOM PRO RANGE

## INTRODUCTION

# DualCom Pro Range

## Introduction

The DualCom Pro Range offers Installers easier, faster installation of a professional signalling system with even greater resilience, plus access to CSL Live, our brand new ordering and management portal.

Using the onboard serial connections or pin triggering, DualCom Pro is compatible with a wide range of control equipment including systems installed to EN50136 & PD6662. The range consists of DigiAir Pro - our single path solution that utilises a Radio path to signal an alarm; and GradeShift Pro - our dual path solution that utilises a combination of two Radio paths or one Radio and one LAN path to signal an alarm.

**It's as Easy as 1, 2, 3!**

**Most DualCom Pro units are ready to go after these few simple steps**



- 1) Wire and connect power - Refer to step 3 in the main quick guide for information on pins and serial connections



- 2) Wait 5 Minutes for LEDs 1-3 to go Green - Whilst your DualCom Pro 2 downloads its configuration



- 3) You're good to go! - For customisation use the CSL My Base App/Web Portal. For panel configuration instructions see our online guides

**Need a My Base Account?**

[CLICK HERE TO REGISTER](#)

**Need One Time My Base Access?**

[CLICK HERE](#)

**Need Panel Configuration Instructions?**

[CLICK HERE TO FIND YOUR PANEL](#)